






















































References

Ord.	Logo	Client / Buyer	Subject of the Contract	Completion by
224		Siemens Energy, s.r.o., Brno Židenice	Technology of a closed cooling circuit balancing tunnel	04/2026
223		FOSFA a.s., Břeclav	Reconstruction of the acid circulation circuit from the hydration tower – Phase I, temporary solution E316 at E324	12/2025
222		ORLEN Spółka Akcyjna, Poland	Modernization of regeneration systems on Units 1, 2 and 3 at the Combined Heat and Power Plant in Płock	08/2028
221		ADM Olomouc s.r.o.	Pressure testing	06/2025
220		ORLEN Południe Spółka Akcyjna	Addition of piping in Jedlicze	07/2025
219		COGNOR S.A., Poland	Spray ring	07/2025
218		FABIO PRODUKT spol. s r. o.	Boiler repair	12/2025
217		FOSFA a.s., Břeclav	Closed cooling circuit TPF	12/2025
216		ADM Olomouc s.r.o.	Pressure testing of hoses	08/2025
215		Cement Hranice a.s.	Execution of pressure testing of a pressure vessel for CO ₂	02/2025
214		VÍTKOVICE MILMET S.A.	Supply of spray rings	02/2025
213		FOSFA a.s., Břeclav	Reconstruction of the phosphoric acid circulation circuit from the hydration tower – Phase I	08/2025
212		BONATRANS GROUP a.s., Bohumín	Replacement of a fan cooling tower	08/2024
211		ADM Olomouc s.r.o.	Measurement of operating parameters of condensate pumps	08/2024
210		ADM Olomouc s.r.o.	Pressure testing of pressure vessels	06/2024
209		FOSFA a.s., Břeclav	Supply and installation of sodium sulfide dosing technology	06/2024
208		ORLEN Spółka Akcyjna, Poland	Cooling of frequency converters at the Płock refinery	03/2025
207		ADM Olomouc s.r.o.	Pressure testing of stainless steel hoses	03/2024
206		KSB–Pumpy+Armatury, s.r.o., koncern	Measurement of cooling water flow at Hyundai Nošovice	02/2024
205		LIBERECKÉ KOTLÁRNY – Hölter, s.r.o	Modification of a pressurizing unit	02/2024
204		ADM Olomouc s.r.o.	Cooling circuit study for the refinery	02/2024






















Ord.	Logo	Client / Buyer	Subject of the Contract	Completion by
203		BOHEMIA RINGS s.r.o.	Cooling circuit of heat treatment technology	08/2024
202		FOSFA a.s., Břeclav	Feasibility study for the construction of a "Closed cooling circuit for FS production"	02/2024
201		Veolia Energie ČR, a.s., Ostrava	Repair of the feedwater flow control system through the inserted circuit of boiler K7	04/2024
200		ORLEN Spółka Akcyjna, Poland	Supply of hermetic pumps – Płock	03/2026
199		KOMA – Industry s.r.o., Český Těšín	Water management for a new test line for gas cylinders	04/2024
198		Hamag, spol. s r.o.	Supply of spare parts for a cooling tower	09/2023
197		ORLEN Południe Spółka Akcyjna	Reconstruction of the water treatment plant in Jedlicze	06/2024
196		Polski Koncern Naftowy ORLEN S.A., Płock	Heating of process water – COK Płock	08/2025
195		FOSFA a.s., Břeclav	Cooling circuit with a closed cooler – study	01/2024
194		Polski Koncern Naftowy ORLEN S.A., Płock	Replacement of circulation pumps – Płock	09/2024
193		HKS Forge, s.r.o., Trnava, Slovakia	Closed cooling circuit	01/2024
192		ADM Olomouc s.r.o.	Assessment of the cooling circuit	12/2023
191		Synthesia, a.s.	Modernization of the slide-gate chamber ŠK3 RY	09/2023
190		Liberty Ostrava a.s.	Service on SJV and HCC hot rolling mills	04/2024
189		Synthesia, a.s., Pardubice	Modernization of the hot water circuit with a circulation pump	09/2023
187		CZECH PRECISION FORGE a.s., Plzeň	New cooling circuit	04/2023
186		AmpluServis, a.s., Ostrava – Třebovice	Preparation of technical specifications for the supply of a feedwater pump for boiler K3 at the Olomouc Heating Plant	02/2023
185		Siemen Energy, s.r.o., Brno	Preparation of design and installation documentation for piping	03/2023
184		ADM Olomouc s.r.o.	Pressure vessel test at the refinery operation – bleaching filter No. 3	01/2023
183		Góraždze Cement S.A., Góraždze, Poland	Cooling circuit	09/2024
182		FOSFA a.s., Břeclav	Assessment of changes in pump concept	01/2023
181		HKS Forge, s.r.o., Trnava, Slovakia	Measurement of flow and pressure at the discharge of the pumping station in the cooling circuit	12/2022


Ord.	Logo	Client / Buyer	Subject of the Contract	Completion by
180		Siemen Energy, s.r.o., Brno	Preparation of design and installation documentation for piping	01/2023
179		Doosan Škoda Power s.r.o., Plzeň	Oil pressure test bench – Technology for testing oil hydraulic components for turbine control	11/2023
178		Město Brtnice	Project documentation for implementation – Conversion of a municipal boiler house to alternative fuel eLTO	12/2022
177		Devro s.r.o., Jilemnice	Upgrade of technological process visualization	12/2022
176		VÍTKOVICE STEEL, a.s.	Crankshaft renovation + supply of connecting rod for WOMU ARP 400	07/2022
175		ADM Olomouc s.r.o.	Pressure testing	06/2022
173		COGNOR S.A., Poland	Pump WOMA 400ARP P65	07/2022
172		ŠKODA JS a.s., Plzeň	Mobile pressurizing unit up to 25 MPa for nuclear power plants in Bulgaria	01/2023
1715		VÍTKOVICE CYLINDERS a.s., Ostrava	Supply of spare parts	05/2022
169S		Liberty Ostrava a.s.	Service of HCC spray system	12/2021
168		COGNOR S.A., Poland	Spray ring	11/2021
167		Synthos Dwory 7 Spółka z ograniczoną odpowiedzialnością spółka jawna, Oświęcim, Poland	Replacement of boiler feedwater pump – pump No. 4	11/2022
166		COGNOR S.A., Poland	Spray box	10/2021
165		Liberty Ostrava a.s.	Modernization of the emergency furnace cooling control system KD	11/2021
164		Grupa Azoty Zakłady Azotowe Kędzierzyn S.A., Poland	Extension of the cooling circuit for building 509/6	08/2022
163		Liberty Ostrava a.s.	Modernization of sludge pumps in the scale pit of the KD line	11/2021
162		ADM Olomouc s.r.o.	Inspection of pressure vessels	06/2021
161		Dřevozpracující družstvo, Lukavec	Conversion to new fuel TOEL	10/2021
160		Nemocnice Šumperk a.s.	Project documentation for installation of a tunnel finisher	03/2021
159		VÍTKOVICE CYLINDERS, a.s.	Replacement of high-pressure piping at P3 Engine Room	07/2021
158		Bellmer Czech s.r.o.	Development work on pressure classifiers	09/2021
156		Dřevozpracující družstvo, Lukavec	Modification of thermal oil distribution	09/2022






















Ord.	Logo	Client / Buyer	Subject of the Contract	Completion by
155		VÍTKOVICE CYLINDERS, a.s.	Service of pumps in the hydraulic section PAD-PP2 and PP3	02/2021
154		Liberty Ostrava a.s.	Cooling of wire coilers by air blowing	07/2021
153		FIPEKO s.r.o.	Project documentation of the cooling circuit at HTM Sport Litovel plant	02/2021
151		ADM Olomouc s.r.o.	Execution of hose pressure tests	10/2020
150		Liberty Ostrava a.s.	Reconstruction of the high-pressure descaling box	10/2020
149		Liberty Ostrava a.s.	High-pressure primary descaling on the HCC line	11/2020
146		AmpluServis, a.s., Ostrava – Třebovice	Phosphate dosing to boiler K13 and chemicals for reduction of O ₂ content in feedwater to feed tank NN3 at the Olomouc peak heating plant	12/2020
145		Polski Koncern Naftowy ORLEN S.A., Płock	Replacement of 8 condensate pump units including related technology	06/2022
144		Liberty Ostrava a.s.	Filtration of cooling water for roll cooling at the medium rolling mill	12/2020
143		ADM Olomouc s.r.o.	Execution of pressure tests	05/2020
142		Moravskoslezské cukrovary, a.s., Opava	Project for implementation – Coiling and storage station for sodium hydroxide	10/2020
141		ArcelorMittal Poland S.A., Dąbrowa Górnicza, Poland	Water curtains in the ammonia warehouse	12/2020
140		Veolia Energie ČR, a.s., Ostrava	Refurbishment of spray pumps ETB	08/2020
139		Veolia Energie ČR, a.s., Ostrava	Replacement of HCl tanks and odor trap	03/2020
138		VÍTKOVICE CYLINDERS, a.s.	Service of pumps in the hydraulic section of Extrusion Line P3	05/2020
137		VÍTKOVICE MILMET S.A.	Supply of spray rings	05/2020
136		SPOLANA a.s., Neratovice	Refurbishment of fans R1.1 A, B	09/2020
135		SPOLANA a.s., Neratovice	Replacement of piping for coarse filtered water	10/2020
134		Liberty Ostrava a.s.	Repair and maintenance of WOMA pumps	12/2022
133		Tavoretus a.s., Olomouc	Castle cellars in Velká Bystřice – Phase I	10/2020
132		ProMinent Dosiertchnik CS, spol. s r.o.	Replacement of ferric chloride dosing pumps in CHUV3	11/2019
131		Plzeňská teplárenská SERVIS IN a.s.	Replacement of existing automatic minimum bypass valves of electronic feed units EN1, EN3, dissipator DN50 PN250	12/2019

Ord.	Logo	Client / Buyer	Subject of the Contract	Completion by
130		ArcelorMittal Poland S.A., Dąbrowa Górnicza, Poland	Supply and installation of a filter	01/2020
129		ADM Olomouc s.r.o.	Pressure testing	2019
128		TS Plzeň, a.s.	Lubrication of tools of press CKQ 10MN	03/2020
127		VÍTKOVICE CYLINDERS, a.s.	Supply of pump PAD-3-60-50-200-UC	12/2019
126		ArcelorMittal Ostrava a.s.	Filtration of cooling water at SJV – controlled cooling circuit GOLEM	12/2019
125		CZECH PRECISION FORGE a.s., Plzeň	Descaling of billets – Phase 1	11/2019
124		COGNOR S.A., Poland	Supply of a spray ring	09/2019
123		S U M O s.r.o., Pardubice	Replacement of air fans DV31 and DV32	10/2019
122		ArcelorMittal Ostrava a.s.	Replacement of combustion air fans for the KD furnace	11/2019
121		Plzeňská teplárenská SERVIS IN a.s.	Supply of 2 energy dissipators DN40 PN160	05/2019
120		VÍTKOVICE CYLINDERS, a.s.	Service of descaling pumps P3	05/2019
119		VÍTKOVICE CYLINDERS, a.s.	Modification of water cooling – cooling tower bypass	05/2019
118		Veolia Energie Praha, a.s.	Modification of gas measurement line TVE	07/2019
117		ArcelorMittal Ostrava a.s.	Repair of high-pressure WOMA pumps	03/2019
116		ArcelorMittal Ostrava a.s.	Sectional roll cooling	04/2019
115		Moravskoslezské cukrovary, a.s., Hrušovany	Outdoor NaOH tank with a volume of 100 m ³	02/2019
114		Železářny Podbrezová a.s.	Spray nozzles	03/2019
113		TŘINECKÉ ŽELEZÁŘNY, a.s.	Spray ring	01/2019
112		Plzeňská teplárenská, a.s., Plzeň	Installation of minimum bypass piping route of feed pumps EN21 and EN22	01/2019
111		JF Mont s.r.o., Hlučín	Specification for repairs of piping systems UT and DHW in the ArcelorMittal site	10/2018
110		Unipetrol RPA, s.r.o., Litvínov	Hypochlorite dosing at the Lake Water Plant	04/2019
109		ArcelorMittal Ostrava a.s.	Addition of the 3rd primary descaling pump Medium rolling mills	12/2018
108		Unipetrol RPA, s.r.o., Litvínov	Replacement of Atlas Copco air compressors	11/2018
107		Dřevozpracující družstvo, Lukavec	Repair of condensate tank – Boiler House No. 1	09/2018




Ord.	Logo	Client / Buyer	Subject of the Contract	Completion by
106		ArcelorMittal Ostrava a.s.	Supply and installation of an automatic filter into the PP No. 1 water cooling circuit	11/2018
105		PRECHEZA a.s., Přerov	Suspension dewatering before KP, TB	11/2018
104		SPOLANA a.s., Neratovice	Installation of a spreader	09/2018
103		ArcelorMittal Ostrava a.s.	Drawing line – hall ventilation	09/2018
102		COGNOR S.A.	Relocation of primary descaling of billets	04/2019
101		Fluid Engineering a.s.	Mobile pressurizing unit 50 MPa	09/2018
100		ADM Prague s.r.o., Olomouc	Execution of pressure tests	06/2018
099		WOST S.A	Cooling circuit concept	07/2018
098		Jiří Cipro, Loděnice	Reconstruction of Lapol tanks	09/2018
097		VÍTKOVICE CYLINDERS, a.s.	Test equipment for hydraulic burst testing	12/2018
096		Lesaffre Česko, a.s., Olomouc	Production documentation of a platform	04/2018
095		TŘINECKÉ ŽELEZÁŘNY, a.s.	Modernization of primary descaling on the continuous rolling mill	09/2018
094		Veolia Energie ČR, a.s., Ostrava	Reconstruction of an old pumping station in connection with fire protection measures	08/2018
093		PRECHEZA a.s., Přerov	Complete implementation of piping systems within Action I “Restoration of flow measurement and restoration of centrifuge safety system”	03/2018
092		ArcelorMittal Poland S.A., Dąbrowa Górnicza, Poland	Cooling circuit HDGL#2 Krakow	02/2019
091		Plzeňská teplárenská, a.s., Plzeň	Design works for replacement of existing automatic minimum bypass valves of electronic feed units EN1, EN3, including technological description	04/2018
090		Plzeňská teplárenská SERVIS IN a.s.	Supply of energy dissipators EN21, EN22	03/2018
089		Unipetrol RPA, s.r.o., Litvínov	As-built project of the mechanical part of low-pressure piping at the VH pumping station	12/2017
088		Plzeňská teplárenská, a.s., Plzeň	Design works for replacement of existing automatic minimum bypass valve of electronic feed units EN31, EN32, including technological description and inputs for SW modification	12/2017
087		Poppe + Potthoff s.r.o., Kunovice	Chemical treatment of the vacuum furnace circuit in the SECO hardening shop	12/2017

Ord.	Logo	Client / Buyer	Subject of the Contract	Completion by
o86	 HŽP	HŽP a.s., Prostějov	Measurement of wastewater from the water treatment and waste plant	10/2017
o85	 BONATRANS	BONATRANS GROUP a.s., Bohumín	Primary descaling	06/2018
o84	 HŽP	HŽP a.s., Prostějov	Assessment of the NLVS cooling circuit and preparation of implementation documentation for water connection for descaling, cooling and double grinder	10/2017
o83	 PBP KOVOVIA	PBP Kovo s.r.o., Trnová	Supply of laundry technology FN Motol, Prague	11/2017
o82	 VEOLIA	Veolia Energie ČR, a.s., Ostrava	Replacement of cooling pumps TG4	10/2017
o81	 COGNOR	COGNOR S.A., Oddział Huta Stali Jakościowych S.A., Stalowa Wola, Poland	Spare parts, pneumatic cylinder, ring	10/2017
o80	 ArcelorMittal	ArcelorMittal Ostrava a.s.	Primary filtration of cooling water for furnace cameras on the HCC line	10/2017
o79	 VÚTS LIBEREC	VÚTS, a.s., Liberec	Supply of washing lines for aluminum workpieces	09/2017
o78	 VEOLIA	Veolia Energie ČR, a.s., Ostrava	Inspection of steam pipeline routing at the Přerov Heating Plant	08/2017
o77	 VEOLIA	Veolia Energie Mariánské Lázně, s.r.o.	Repair of treated condensate distributor	07/2017
o76	 PLZEŇSKÁ TEPLÁRENSKÁ	Plzeňská teplárenská, a.s., Plzeň	Project for replacement of minimum valve of feedwater pumps	09/2017
o75	 Vítkovice Cylinders	VÍTKOVICE CYLINDERS, a.s.	Supply of spray rings	06/2017
o74	 HŽP	HŽP a.s., Prostějov	Optimization of descaling	06/2017
o73	 ORLEN Unipetrol	Unipetrol RPA, s.r.o.	Increase in reliability of Elbe water supply to SPOLANA a.s.	08/2017
o72	 VEOLIA	Veolia Energie Mariánské Lázně, s.r.o.	Modification of gas measuring line for boilers K5 and K6	07/2017
o71	 HŽP	HŽP a.s., Prostějov	Project, supply and installation of pressure supply for reverse osmosis unit	07/2017
o70	 ArcelorMittal	ArcelorMittal Poland S.A., Dąbrowa Górnicza, Poland	Automation of pumping station in Huta Sosnowiec, Poland	09/2017
o69	 ArcelorMittal	ArcelorMittal Ostrava a.s.	Control of cooling of rolling motors on the SJV line	12/2017
o68	 ArcelorMittal	ArcelorMittal Ostrava a.s.	Implementation of primary descaling on the SJV rolling line	01/2018
o67	 VEOLIA	Veolia Energie ČR, a.s., Ostrava	Replacement of pump SSK3, replacement of spray pump of the screen filter	07/2017
o66	 synthos	SYNTHOS PBR s.r.o., Kralupy nad Vltavou	Flushing of raw rubber	06/2017

Ord.	Logo	Client / Buyer	Subject of the Contract	Completion by
065		Plzeňská energetika a.s., Plzeň	Supply and installation of new motors with frequency converters for boiler K1 air fans	11/2017
064		PENAM, a.s., Olomouc	Supply of central cooling technology and potable water distribution to individual dosing centers for dough production	07/2017
063		Synthesia, a.s., Pardubice	Reconstruction of heat exchanger station RY 1	08/2017
062		ArcelorMittal Ostrava a.s.	Repair of intermittent cooling on the KD line	10/2017
061		Veolia Energie ČR, a.s., Ostrava	Replacement of raw water tank in CHÚV	07/2017
060		PRECHEZA a.s., Přerov	Frequency converters for fans – electrical and MaR part	06/2017
059		ArcelorMittal Ostrava a.s.	Primary descaling spray ring for SJV line	05/2017
058		Synthos Dwory 7 Spółka z ograniczoną odpowiedzialnością spółka jawna, Oświęcim, Poland	Hydraulic transport of raw material for polystyrene production	11/2017
057		Devro s.r.o., Jilemnice	Supply of spare parts	03/2017
056		HŽP a.s., Prostějov	Provision of regular service of water circuits	12/2018
055		COGNOR S.A., Oddział Huta Stali Jakościowych S.A., Stalowa Wola, Poland	Supply of high-pressure plunger pump WOMA 400ARP P65	04/2017
054		Devro s.r.o., Jilemnice	Conversion and technical assistance with installation of production line visualization	02/2017
053		ArcelorMittal Poland S.A., Dąbrowa Górnicza, Poland	Implementation of increased capacity of the cooling circuit for coating technology operation Świętochłowice, Poland	09/2017
052		Veolia Energie ČR, a.s., Ostrava	Diagnostics of feed pump protections	11/2016
051		Huta Stali Jakościowych S.A., Stalowa Wola, Poland	Supply of spare parts for descaling	11/2016
050		ArcelorMittal Ostrava a.s.	Implementation of secondary descaling on the SJV rolling line	02/2017
049		Veolia Energie ČR, a.s., Ostrava	Replacement of demineralized water pump – Třebovice Power Plant	09/2016
048		JF Mont s.r.o., Hlučín	Implementation design documentation for Darkov Mine	08/2016
047		ADM Prague s.r.o., Olomouc	Hydraulic transport of bleaching clay dosing	12/2016
046		Veolia Energie ČR, a.s., Ostrava	Measurement of KVET steam pipeline and installation of connecting piping at the Přerov Heating Plant	08/2016

Ord.	Logo	Client / Buyer	Subject of the Contract	Completion by
045		Veolia Energie ČR, a.s., Ostrava	Replacement of treated water tank in CHÚV	08/2016
044		Izeňská teplotárenská, a.s., Plzeň	Implementation documentation for installation of condensate pumps	06/2016
043		Litovelská curkovarna, a.s.	Pneumatic transport of fly ash using a rotary valve and ejector	08/2016
042		HŽP a.s., Prostějov	Construction of a process water treatment plant including implementation of reverse osmosis	09/2016
041		ArcelorMittal Ostrava a.s.	Automatic control of water supply for cooling of SJV rolling stands	09/2016
040		ArcelorMittal Ostrava a.s.	Modification of cooling circuits – supply of servo valves for HCC line	09/2016
039		Devro s.r.o., Jilemnice	Cutting head insert	05/2016
038		Proficool FANS Sp. z o.o., Katowice, Poland	Electrical part, wiring, compressor cooling	06/2016
037		Instytut Metalurgii Żelaza, Gliwice, Poland	Supply of spare parts and service of descaling technology	06/2016
036		Huta Stali Jakościowych S.A., Stalowa Wola, Poland	Spray ring	07/2016
035		Veolia Energie ČR, a.s., Ostrava	TKV CHUV – heaters of demineralized and softened water	07/2016
034		VÍTKOVICE CYLINDERS, a.s.	Repair of high–pressure PAD pumps	04/2016
033		Grundfos Sales Czechia and Slovakia s.r.o	Implementation documentation, mechanical part, for installation of condensate pumps	02/2016
032		Unipetrol RPA, s.r.o., Litvínov	Connection and commissioning of air compressor	03/2016
031		Huta Stali Jakościowych S.A., Stalowa Wola, Poland	Supply of spare parts for descaling technology	03/2016
030		PRECHEZA a.s., Přerov	Replacement of cooling water circuit pump, Q = 1900 m ³ /h, H = 52 m	03/2016
029		HŽP a.s., Prostějov	Project for modification of cooling water circulation	01/2016
028		Doosan Škoda Power s.r.o., Plzeň	Modernization of pressurizing workplace for pressure 250 and 1450 bar	04/2016
027		Devro s.r.o., Jilemnice	Development work	09/2016
026		Devro s.r.o., Jilemnice	Filter holders PN 300 – filter handling	02/2016
025		ArcelorMittal Ostrava a.s.	Mechanical removal of scale, central lubrication of inlet bearings, water cleaning of inlets on the KD line	03/2016

Ord.	Logo	Client / Buyer	Subject of the Contract	Completion by
024		Plzeňská teplárenská, a.s., Plzeň	Pump – PS Roudná	03/2016
023		Devro s.r.o., Jilemnice	Vacuum filler	07/2016
022		Plzeňská teplárenská, a.s., Plzeň	Condensate dissipator PN 250 – boiler feed circuit	11/2015
021		Proficool FANS Sp. z o.o., Katowice, Poland	Cooling circuit – project, supplies and implementation of mechanical and electrical parts	11/2015
020		Plzeňská teplárenská, a.s., Plzeň	Replacement of aggressive water pumps – Chemical Water Treatment Plant	12/2015
019		Proficool FANS Sp. z o.o., Katowice, Poland	Cooling circuit – design works of civil, mechanical and electrical parts	12/2015
018		KOMA-Industry s.r.o., Český Těšín	High-pressure descaling, Kladno Dříň plant, TŽ, a.s.	12/2015
017		Veolia Energie ČR, a.s., Ostrava	Fire water distribution system	11/2015
016		PRECHEZA a.s., Přerov	Steam pressure reduction station PN 16, temperature 220 °C	11/2015
015		Huta Stali Jakościowych S.A., Stalowa Wola, Poland	Overhaul of hydraulic elements	08/2015
014		ArcelorMittal Ostrava a.s.	New water cooling for stand No. 9 on the HCC line	09/2015
013		Huta Stali Jakościowych S.A., Stalowa Wola, Poland	Supply of spare parts for high-pressure plunger pumps WOMA	07/2015
012		JF Mont s.r.o., Hlučín	Technical supervision – refurbishment of chutes, Darkov Mine	07/2015
011		Huta Stali Jakościowych S.A., Stalowa Wola, Poland	Service and supply of spare parts for high-pressure plunger pumps HAMMELMANN	07/2015
010		Instytut Metalurgii Żelaza, Gliwice, Poland	Inspection, service and commissioning of high-pressure descaling with accumulator station	07/2015
009		Proficool FANS Sp. z o.o., Katowice, Poland	Technical support for electrical, I&C and PCS parts for the technology “Cooling circuit with BORA towers”	06/2015
008		Zdeněk Chudoba, Lutín	Technical supervision during aggregation of vacuum pumps for Edwards, s.r.o.	06/2015
007		ADM Prague s.r.o., Olomouc	Reconstruction of a pumping station (fully stainless steel) food industry application	06/2015
006		FANS, a.s., Hlinsko	Cooling circuit with BORA tower	06/2015
005		ALCHEMIA S.A., Warszawa, Poland	Testing of internal surface cleaning of high-pressure pipes at the tube rolling mill	06/2015
004		Veolia Energie ČR, a.s., Ostrava	Reconstruction of flocculant dosing system	09/2015

Ord.	Logo	Client / Buyer	Subject of the Contract	Completion by
003		LIBERECKÉ KOTLÁRNY - Hötler, s.r.o., Rychnov u Jablonce nad Nisou	SW modification and HW extension for pressurizing unit	05/2015
002		ŠKODA JS a.s., Plzeň	Restoration of control SW including HW modification	05/2015
001		KOMA - Industry s.r.o., Český Těšín	Overhaul of high-pressure descaling (pumps WOMA 250 ARP-P55)	04/2015